



Prescott Stone 12/300 Cloud White Matte



4/100

3.5"H x 23.25"L x 3.5"D

90mm x 590mm x 90mm



8/200

7.5"H x 23.25"L x 3.5"D

192mm x 590mm x 90mm



12/300

11.5"H x 23.25"L x 3.5"D

292mm x 590mm x 90mm



Charcoal




Charcoal Matte



Quarry White



Quarry White Matte



Cloud White



Cloud White Matte



Sandstone



Sandstone Matte



Ebony Black




Ebony Black Matte



Diamond White*




Diamond White Matte*



Pewter



Pewter Matte



Granite Black*




Granite Black Matte*

**Denotes a Premium Colour*


PACKAGING SPECIFICATIONS

Prescott Stone	Per Full Pallet				Per Layer			Sq.Ft/Pc	Pcs/Sq.Ft.
	Sq.Ft.	Pieces	Layers	Weight	Sq.Ft.	Pieces	Weight		
4/100	106	160	8	4264-lbs	13.25	20			1.5
8/200	106	80	8	4254-lbs	13.25	10			0.75
12/300	72	36	6	2892-lbs	12	6			0.5


PALLET OVERVIEW



Prescott Stone 4/100




Prescott Stone 8/200




Prescott Stone 12/300

LAYING PATTERNS



Stack Bond



1/2 Bond

Concrete masonry veneer units that are 90mm (3.5") or less in height and produced as a single size will require more frequent control (movement) joint spacing. Refer to the CMHA CMU-TEC-009 series on movement control.

Based on CSA 165.2 for Grade 1, Solid Units, Density over 2000kg/m3 and ASTM C1634, ASTM C55 for Normal Weight

To ensure proper construction, please refer to your local Building Code(s), Standards and Industry Best Practices. Santerra Stonecraft is not design responsible.